			1. CONTRACT ID CODE PAGE OF PAGES					
AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRA		ACT	1. CONTINUE ID CODE			1	3	
AMENDMENT/MODIFICATION NO. 001	3. EFFECTIVE DATE	4. REQUISI	EQUISITION/PURCHASE REQ. NO. 5. PRO			OJECT NO. (If applicable)		
6. ISSUED BY CODE		7. ADMINIS	TERED BY (If other	than Item 6)	CODE			
U. S. Department of Energy, National Energy Technol P.O. Box 880, Attn: D. Denise Riggi 3610 Collins Ferry Road Morgantown, WV 26507-0880	ogy Laboratory							
NAME AND ADDRESS OF CONTRACTOR (No., street, county, State, and ZIP Co To Be Determined			(✓)		OMENT OF S 226-00NT4076		N NO.	
			×		(See Item 11)			
					2, 2000 FICATION OI	F CONTRAC	T/ORDER	
CODE	FACILITY CODE			10B. DATED (See Item 13)				
11. THIS	ITEM ONLY APPLIES TO	AMENDMENT	S OF SOLICITATIO	NS				
☐ The above numbered solicitation is amended as set forth	in Item 14. The hour and	date specified f	or receipt of Offers	□ is extended	d, ⊠ is not e	extended.		
Offers must acknowledge receipt of this amendment prior to	the hour and date specifie	d in the solicita	tion or as amended, I	by one of the	following met	hods:		
(a) By completing Items 8 and 15, and returning 1 copies separate letter or telegram which includes a reference to the PLACE DESIGNATED FOR THE RECEIPT OF OFFERS If this amendment you desire to change an offer already su solicitation and this amendment, and is received prior to the	e solicitation and amendme PRIOR TO THE HOUR AND promitted, such change may e opening hour and date spe	nt numbers. F.D DATE SPEC be made by tel	AILURE OF YOUR A FIED MAY RESULT	CKNOWLEI IN REJECT	OGMÉNT TO ION OF YOU	BE RECEIVIR OFFER. If	ED AT THE f by virtue of	
12. ACCOUNTING AND APPROPRIATION DATA (If req	uired)							
	APPLIES ONLY TO MODE ES THE CONTRACT/ORD							
(/) A. THIS CHANGE ORDER IS ISSUED PURSUA ORDER NO. IN ITEM 10A.	ANT TO: (Specify authority) THE CHANG	ES SET FORTH IN	ITEM 14 ARE	E MADE IN TI	HE CONTRA	СТ	
B. THE ABOVE NUMBERED CONTRACT/ORD appropriation date, etc.) SET FORTH IN ITEM				NGES (such	as changes	in paying offi	ce,	
C. THIS SUPPLEMENTAL AGREEMENT IS EN	TERED INTO PURSUANT	TO AUTHORI	TY OF:					
D. OTHER (Specify type of modification and auto	nority)							
E. IMPORTANT: Contractor □ is not, □ is required to s	gn this document and retur	n copies to	the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section	headings, inclu	iding solicitation/cont	tract subject	matter where	feasible.)		
The purpose of this amendment is to provide pages contain the questions and DOE's responding this amendment.								
Q represents the questions posed, a	and R represents	the DOE	's response.					
See continuation pages.								
Except as provided herein, all terms and conditions of the doc	ument referenced in Item 9A							
15A. NAME AND TITLE OF SIGNER (<i>Type or print</i>)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)						
		Raym	ond R. Jarr					
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITI	ED STATES OF AMI	ERICA		16C. DAT	E SIGNED	

(Signature of person authorized to sign)

// original signed by Raymond R. Jarr // (Signature of Contracting Officer)

05/10/00

- Should one propose a unique monitor for airborne and surface beryllium, or would you consider a different monitor for each application?
- R1 Please notice that the solicitation continually refers to "monitor(s)," indicating that DOE anticipates the receipt of offers proposing a single monitor for measurement of both airborne and surface beryllium, and offers proposing individual (or two) monitors for measurement of airborne and surface beryllium.
- Q2 On page 26 of the RFP, it says: "Rocky Flats currently spends approximately \$22 per sample. This price must be reduced if real-time surface characterization is to be used on-site." Are the \$22 per sample the cost of analysis or the cost of collecting a sample? Also, how many samples do these facilities have to collect per day or month?
- The \$22 figure is an estimate of off-site lab analytical work. For airborne monitoring, when the monitor is used for an alarm function in conjunction with decontamination and decommissioning activities, the monitor would likely be used in a continuous manner, taking readings as rapidly as possible. For surface beryllium measurements, the amount of material being characterized for free release will drive the frequency of measurements that are required. A "worst-case" scenario is that beryllium surface monitors would be in continual use during dismantlement activities to maximize the throughput of material to be free-released.
- Q3 Is it possible to have a collaboration between a university that will do part of the research work and a starting small business that will build a prototype?
- **R3** Absolutely. There are no restrictions regarding offers from teams comprised of educational institutions and small businesses.
- Q4 The RFP refers to "real time monitors for near-instantaneous detection and measurement of airborne and surface beryllium contamination." Can you quantify the goal relative to "near-instantaneous;" is this once per minute, per hour, per day?
- **R4** "What is real-time" will be measurement "turn-around time" of 15 minutes or less.
- The RFP indicates that "Federal agencies and agents are prohibited from participating at any level in proposals submitted in response to this solicitation." Does this preclude licensing technology (for a fee) from a national laboratory such as Argonne National Laboratory?

- R5 Licensing a technology from a National Lab for further development under a government funded contract is acceptable. However, the Government has a royalty-free license for any patent owned by a National Laboratory, so royalty costs will not be considered an allowable cost under any award made pursuant to this solicitation.
- Q6 Please provide a list of references regarding this past work.
- **R6** See Attachment A.

1. EM Task 13 -- Cone penetrometer for subsurface heavy metals detection. Semi-annual report, April 1--September 30, 1997. Order Number DE98054539 DOE Contract FC21-94MC31388. Order Number DE98054539. Source: OSTI; NTIS; GPO Dep.

Surface and subsurface contamination of soils by heavy metals, including Pb, Cr, Cu, Zn, and Cd has become an area of concern for many industrial and government organizations. Conventional sampling and analysis techniques for soil provide a high degree of sensitivity and selectivity for individual analytes. However, obtaining a representative sampling and analysis from a particular site using conventional techniques is time-consuming and costly. Additionally, conventional methods are difficult to implement in the field for in situ and/or real-time applications. Therefore, there is a need for characterization and monitoring techniques for heavy metals in soils which allow cost-effective, rapid, in situ measurements. Laser induced breakdown spectroscopy (LIBS) has been used to successfully measure metals content in a variety of matrices including soil. Science and Engineering Associates (SEA) is developing a subsurface cone penetrometer (CPT) probe for heavy metal detection that employs LIBS. The LIBS/CPT unit is to be applied to in situ, real-time sampling and analysis of heavy metals in soil. The overall objectives of this project are to evaluate potential calibration techniques for the LIBS/CPT instrument and to provide a preliminary evaluation of the LIBS instrument calibration using samples obtained from the field.

- 2. Interim Progress Report DE-FG07-96ER62305, A Fundamental Study of Laser-Induced Breakdown Spectroscopy Using Fiber Optics for Remote Measurements of Trace Metals, Scott R Goode and S. Michael Angel, 16p. Short abstract: The long-term goal of this project is to develop a system to measure the elemental composition of unprepared samples using laser-induced breakdown spectroscopy, LIBS, with a fiber-optic probe.
- **3.** "Detection of Metals in the Environment Using a Portable Laser-Induced Breakdown Spectroscopy Instrument", Cremers, et.al., Applied Spectroscopy, Volume 50, Number 2, 1996.
- **4.** "Transportable laser-induced breaksown spectroscopy (LIBS) instrument for Field-based soil analysis", Cremers, D.A., et.al., SPIE Volume 2835, page 190, 1996.
- **5.** (LA-UR--94-1544) "RCRA materials analysis by laser-induced breakdown spectroscopy: Detection limits in soils." Koskelo, A.; **Cremers**, D.A. Los Alamos National Lab., NM (United States). [1994]. 64p. Sponsored by USDOE, Washington, DC (United States). DOE Contract W-7405-ENG-36. Order Number DE94018613. Source: OSTI; NTIS; INIS; GPO Dep.

The goal of the Technical Task Plan (TTP) that this report supports is research, development, testing and evaluation of a portable analyzer for RCRA and other metals. The instrumentation to be built will be used for field-screening of soils. Data quality is expected to be suitable for this purpose. The data presented in this report were acquired to demonstrate the detection limits for **laser**-induced breakdown **spectroscopy** (LIBS) of soils using instrument parameters suitable for fieldable instrumentation. The data are not expected to be the best achievable with the high pulse energies available in laboratory lasers. The report presents work to date on the detection limits for several elements in soils using LIBS. The elements targeted in the Technical Task Plan are antimony, arsenic, beryllium, cadmium, chromium, lead, selenium, and zirconium. Data for these

elements are presented in this report. Also included are other data of interest to potential customers for the portable LIBS apparatus. These data are for barium, mercury, cesium and strontium. Data for uranium and thorium will be acquired during the tasks geared toward mixed waste characterization.

- **6.** Cremers, D.A., R.C. Chinni, A.E. Pichahchy, and H.K. Thornquist, "Enhancing the Analytical Performance of Laser-Induced Breakdown Spectroscopy", Report LA-UR-98-3689, 17p.
- **7.** Hahn, D.W; Flower, W.L; Hencken, K.R., "Discrete particle detection and metal emissions monitoring using laser-induced breakdown spectroscopy," Applied Spectroscopy, Dec 31 1997, ISSN 0003-7028, No. 51, Volume 12, pp. 1836-1844.

The unique conditions for the application of laser-induced breakdown spectroscopy (LIBS) as a metal emissions monitoring technology have been discussed. Because of the discrete, particulate nature of effluent metals, the utilization of LIBS is considered in part as a statistical sampling problem involving the finite laser-induced plasma volume, as well as the concentration and size distribution of the target metal species. Particle sampling rates are evaluated and Monte Carlo simulations are presented for relevant LIBS parameters and wastestream conditions. For low metal effluent levels and submicrometer-sized particles, a LIBS-based technique may become sample limited. An approach based on random LIBS sampling and the conditional analysis of the resulting data is proposed as a means to enhance the LIBS sensitivity in actual wastestreams. Monte Carlo simulations and experimental results from a pyrolytic waste processing facility are presented, which demonstrate that a significant enhancement of LIBS performance, greater than an order of magnitude, may be realized by taking advantage of the discrete particulate nature of metals. {copyright} {ital 1997} {ital Society for Applied Spectroscopy}.

8. The following report discusses the airborne Be monitor, published by LLNL. The report number is UCRL-JC-123854, "Quantification Evaluation of Real-Time Berylium Air Monitoring Using Laser-Induced Breakdown Spectroscopy," N. Vahdat, etal.